

1. Ans. b

Explanation:

$$CI = 60000 \left(1 + \frac{6}{100}\right) \left(1 + \frac{8}{100}\right) \left(1 + \frac{10}{100}\right) - 60,000 = \text{Rs. } 15,556.80$$

2. Ans. c

Explanation:

$$1 \text{ Rs.} : 50 \text{ P} : 25 \text{ P}$$

$$4x, 5x, 6x$$

$$4x + \frac{250x}{100} + \frac{150x}{100} = 120$$

$$x = 15$$

$$25 \text{ पैसे के सिक्कों की संख्या} = 6 \times 15 = 90$$

3. Ans. c

Explanation:

$$A : B = 4 : 5 \times 7$$

$$B : C = 7 : 8 \times 5$$

$$A : B : C = 28 : 35 : 40$$

4. Ans. a

Explanation:

$$\begin{aligned} & \frac{1}{1 + \frac{a^x}{a^y}} + \frac{1}{1 + \frac{a^y}{a^x}} \\ &= \frac{a^y}{a^y + a^x} + \frac{a^x}{a^x + a^y} = \frac{a^x + a^y}{a^x + a^y} = 1 \end{aligned}$$

5. Ans. b

Explanation:

$$A = P \left(1 + \frac{r}{100}\right)^n$$

$$2000 = P \left(1 + \frac{8}{100}\right)^4$$

$$P = \text{Rs. } 1470.06$$

6. Ans. a

Explanation:

$$P = \frac{R}{r} \left[1 - (1 + r)^{-n}\right]$$

$$5,00,000 = \frac{R}{.08} [1 - (1 + 0.8)^{-3}]$$

$$R = \text{Rs. } 1,94,016.75$$

7. Ans. b

Explanation:

सरल रेखाओं की संख्या

$$= {}^n C_2 - {}^x C_2 + 1$$

$$= {}^{15} C_2 - {}^6 C_2 + 1 = 91$$

8. Ans. c

Explanation:

व्यवस्थाओं की संख्या = कुल व्यवस्थाओं की संख्या - दो 'o' साथ में रहे

$$= \frac{6!}{2!} - 5! = 240$$

9. Ans. d

Explanation:

$$\text{तरीके} = {}^6 C_3 \times {}^5 C_2 = 200$$

10. Ans. d

Explanation:

$$\text{विभिन्न शब्दों की संख्या} = \frac{11!}{4! 4! 2!}$$

$$S = 4, P = 2, I = 4$$

11. Ans. c

Explanation:

$$\frac{n!}{(n-5)!} = 20 \times \frac{n!}{(n-3)!}$$

$$(n-3)(n-4)(n-5)! = 20(n-5)!$$

Use option.

12. Ans. b

Explanation:

यदि एक AP है $a = -111$ and $d = 4$

$$T_n = a + (n-1)d$$

$$= -111 + (n-1)4$$

$$= -111 + 4n - 4$$

$$= 4n - 115$$

$$T_n > 0$$

$$4n - 115 > 0$$

$$n > 28 \frac{3}{4}$$

$\therefore$ न्यूनतम पूर्णांक $28 \frac{3}{4}$ से बड़ा है 29

13. Ans. b

Explanation:

$$\begin{aligned}
 \log_{10} 80 &= \log_{10} (8 \times 10) \\
 &= \log_{10} (2 \times 4 \times 10) \\
 &= \log_{10} 2 + \log_{10} 4 + \log_{10} 10 \\
 &= x + y + 1
 \end{aligned}$$

14. Ans. d

Explanation:

$$\log_2 \log_3(x) = 3^1 = 3$$

$$\log_3 x = 2^3 = 8$$

$$x = 3^8 = 6561$$

15. Ans. a

Explanation:

$$\begin{aligned}
 &\frac{2^{n+3} - 10 \times 2^{n+1}}{2^{n+1} \times 6} \\
 &= \frac{2^n \times 2^3 - 10 \times 2^n \times 2}{2^{n+1} \times 2 \times 6} \\
 &= \frac{8 - 20}{12} = \frac{-12}{12} = -1
 \end{aligned}$$

16. Ans. b

Explanation:

$$f(x) = \frac{1}{x-1}$$

यदि $x = 1$ $f(x)$ अपरिभाषित होगा

$$A = R - \{1\}$$

17. Ans. c

Explanation:

$$\begin{aligned}
 f(x) &= x^2 c_2 \\
 &= \frac{x(x^2 - 1)}{2} \\
 &= \frac{x^3 - x}{2} \\
 f'(x) &= \frac{3x^2 - 1}{2} \\
 f'(3) &= \frac{3 \times 3^2 - 1}{2} = \frac{5}{2}
 \end{aligned}$$

18. Ans. b

Explanation:

$$\begin{aligned}\alpha - \beta &= \sqrt{(\alpha + \beta)^2 - 4\alpha\beta} \\ &= \sqrt{(7)^2 - 4(-9)} = \sqrt{85}\end{aligned}$$

19. Ans. d

Explanation:

$$x^2 - (\text{मूलों का योग}) x + \text{मूलों का गुण} = 0$$

$$x^2 - (2 - \sqrt{3} + 2 + \sqrt{3}) x + (2 - \sqrt{3})(2 + \sqrt{3}) = 0$$

$$x^2 - 4x + 1 = 0$$

20. Ans. a

Explanation:

$$a = 5,00,000, d = 15,000$$

$$S_n = \frac{n}{2} [2a + (n - 1)d]$$

$$= \frac{10}{2} [2 \times 5,00,000 + (10 - 1) 15,000]$$

$$= \text{Rs. } 56,75,000$$

21. Ans. a

Explanation:

$$\text{शब्द "BANANA" के अक्षरों से बनने वाले शब्दों की संख्या} = \frac{6!}{3! 2!} = 60$$

$$\text{शब्दों, जिनमें N एक साथ हो, की संख्या} = \frac{5!}{3!} = 20$$

$$\therefore \text{अभिष्ट तरीकों की संख्या} = 60 - 20 = 40$$

22. Ans. b

Explanation:

$$\begin{aligned}\text{मानक विचलन}(\sigma) &= \sqrt{\text{विचरण}} \\ &= \sqrt{100} = 10\end{aligned}$$

समान्तर माध्य की गणना $\bar{x}$ निम्न सूत्र द्वारा होगी :

$$\text{बहुलक} = 3 \text{ माधिका} - 2 \text{ माध्य}$$

$$29 = (3 \times 23) - 2 \text{ माध्य}$$

$$\text{माध्य} = (69 - 29) / 2 = 20$$

$$\text{विचरण गुणांक(CV)} = \frac{\sigma}{\bar{x}} \times 100$$

$$\therefore CV = \frac{10}{20} \times 100 = 50\%$$

23. Ans. c

Explanation:

Change in origin does not change S.D. Thus SD is k.

24. Ans. a
Explanation:

$$\begin{array}{ccccc} X^- & \text{---} & Y & & \\ +R & \text{---} & S^+ & & \text{Uncle} \end{array}$$
25. Ans. a
Explanation:

$$\begin{array}{ccccccccc} Z & & A & & X & & C & & Y & & B \\ | & & | & & | & & | & & | & & | \end{array}$$
26. Ans. a
Explanation:
 Given that,

$$6300 = P \left(1 + \frac{2R}{100} \right) \dots\dots\dots(i)$$

$$7875 = P \left(1 + \frac{15R}{400} \right) \dots\dots\dots(ii)$$

$$\therefore T = 3\frac{9}{12} = \frac{15}{4} \text{ years}$$

$$\frac{(ii)}{(i)} \Rightarrow \frac{\left(1 + \frac{15R}{400} \right)}{\left(1 + \frac{2R}{100} \right)} = \frac{7875}{6300}$$

$$\Rightarrow \frac{400 + 15R}{400 + 8R} = \frac{7875 \div 1575}{6300 \div 1575} = \frac{5}{4}$$

$$\Rightarrow 4(400 + 15R) = 5(400 + 8R)$$

$$\Rightarrow 1600 + 60R = 2000 + 40R$$

$$\Rightarrow 60R - 40R = 2000 - 1600$$

$$\Rightarrow 20R = 400$$

$$\therefore R = 20 \% (\text{Ans})$$
27. Ans. b
Explanation:

$$2,00,000 = A \left[\frac{(1 + 5\%)^{20} - 1}{5\%} \right]$$

$$A = 6048.5 = 6049$$
28. Ans. c
Explanation:

$$4! \times 5! = 2880$$
29. Ans. c
Explanation:

$$11\% = 825$$

$$P = 7500$$
30. Ans. c
Explanation:

$$P \times ((1+5\%)^{20} - 1) = 1640$$

$$P = 16,000$$

31. Ans. a
 Explanation:
 $B \cap C = \{5\}$
 $A \times (B \cap C) = \{(2, 5), (3, 5)\}$
32. Ans. b
 Explanation:
 $5,000[(1 + 1.5\%)^{20} (1 + 4\%)^{16} - 1] = CI$
 $CI = 7613.17$
33. Ans. a
 Explanation:
 $np = 3$; $npq = 2$
 Now $3 \times q = 2 \rightarrow Q = 2/3$
 And, $P = 1 - Q = 1 - 2/3 = 1/3$
 and, $n \times 1/3 = 3 \rightarrow n = 9$
 Now, $\left(\frac{2}{3} + \frac{1}{3}\right)^9$
34. Ans. b
 Explanation:
 $1000 \left[\frac{(1 + 14\%)^5 - 1}{14\%} \right] = \text{Future Value}$
 $F.V. = 6610/-$
35. Ans. b
 Explanation:
 $(2^6 - 1) \times (2^4 - 1) = 945$
36. Ans. c
 Explanation:

$$P_{2000, 2003} = \frac{P_{2003} \times 100}{P_{2000}}$$

$$= \frac{60 \times 100}{15} = 400\%$$
37. Ans. c
 Explanation:
 $D = P \left(\frac{R}{100} \right)^2$
 $768 = P \left(\frac{8}{100} \right)^2$
 $P = 1,20,000$
38. Ans. d
 Explanation:

$$E = \left[\left(1 + \frac{r}{100} \right)^n - 1 \right] \times 100$$

$$= \left[\left(1 + \frac{6}{200} \right)^2 - 1 \right] \times 100 = 6.09 \%$$

39. Ans. a

Explanation:

$$CI = P \left(1 + \frac{r}{100} \right)^n - P$$

$$= 5,000 \left(1 + \frac{4}{100} \right) - 5,000$$

$$= 200$$

$$CI = 5,000 \left(1 + \frac{2}{100} \right)^2 - 5,000$$

$$= 202$$

$$D = 202 - 200 = \text{Rs. } 2$$

40. Ans. b

Let the sum borrowed be x. Then,

$$\left(\frac{x \times 6 \times 2}{100} \right) + \left(\frac{x \times 9 \times 3}{100} \right) + \left(\frac{x \times 14 \times 4}{100} \right) = 11,400$$

$$\Leftrightarrow \left(\frac{3x}{25} + \frac{27x}{100} + \frac{14x}{25} \right) = 11,400 \Leftrightarrow \frac{95x}{100} = 11,400 \Leftrightarrow x = \left(\frac{11,400 \times 100}{95} \right) = 12,000$$

Hence, Sum borrowed Rs.12,000

41. Ans. d

Explanation:

$$P = 1/8 ; n = 10 ; q = 7/8$$

$$P(\text{at least } 2) = 1 - P(0) - P(1)$$

$$= 1 - {}^{10}C_0 p^0 q^9 - {}^{10}C_1 p^1 q^8$$

$$= 0.3611$$

42. Ans. a

Explanation:

$$n = 4 ; p = 1/2 \quad q = 1/2$$

$$P(\text{at least } 2 H) = P(2) + P(3) + P(4)$$

$${}^4C_2 p^2 q^2 + {}^4C_3 p^3 q^1 + {}^4C_4 p^4 q^0$$

43. Ans. d

Explanation:

$$P(7) = \frac{1}{8}$$

44. Ans. c

Explanation:

$$H + 2 = J$$

$$O + 2 = Q$$

$$N + 2 = P$$

$$E + 2 = G$$

$$Y + 2 = A$$

Now,

$$V - 2 = T$$

$$C - 2 = A$$

$$T - 2 = R$$

$$I - 2 = G$$

$$G - 2 = E$$

$$V - 2 = T$$

$$U - 2 = S$$

45. Ans. c

Explanation:

$$MINK - M = INK$$

46. Ans. d

Explanation:

$$C + 2 = E + 2 = G + 2 = I$$

Then, J180P is wrong.

47. Ans. b

Explanation:

$$S_{\infty} = \frac{a}{1 - r} = \frac{\sqrt{3}}{1 - \frac{1}{3}} = \frac{3\sqrt{3}}{2}$$

48. Ans. c

Explanation:

$$A = P \left(1 + \frac{r}{100} \right)^n$$

$$\frac{25}{16} P = P \left(1 + \frac{r}{100} \right)^2$$

$$\left(\frac{5}{4} \right)^2 = \left(1 + \frac{r}{100} \right)^2$$

$$\frac{5}{4} = 1 + \frac{r}{100}$$

$$r = 25\%$$

49. Ans. b

Explanation :


$$\frac{10000 \times 2 \times r}{100} + \frac{6000 \times 3 \times r}{100} = 1900$$

$$r = 5\%$$

50. Ans. b
Explanation:
No. of observation = frequency

51. Ans. b
Explanation:
 $\log(a + \sqrt{a^2 + 1}) + \log(a + \sqrt{a^2 + 1})^{-1}$
 $= \log(a + \sqrt{a^2 + 1}) - \log(a + \sqrt{a^2 + 1})$
 $= 0$

52. Ans. b
Explanation:



Correct direction SE
But best option South

53. Ans. c
Explanation:
घटना A : 50 वर्ष का व्यक्ति 20 वर्ष तक जीवित रहेगा
घटना B : 60 वर्ष का व्यक्ति 20 वर्ष तक जीवित रहेगा
 $\therefore P(A) = \frac{5}{9+5} = \frac{5}{14}$ रफक $P(B) = \frac{6}{8+6} = \frac{6}{14}$
 $\therefore P(A \cup B) = \frac{5}{14} + \frac{6}{14} - \frac{5}{14} \times \frac{6}{14} = \frac{31}{49}$

54. Ans. b
Explanation :

$$r_r = 1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

$$0.8 = 1 - \frac{6 \sum d^2}{990}$$


$$\sum d^2 = 33$$

$$\text{Cor. } \sum d^2 = 33 - (7)^2 + (9)^2 = 65$$


$$\text{Cor. } r_r = 1 - \frac{6 \times 65}{990}$$

$$= 0.61$$

55. Ans. b
Explanation:



56. Ans. a
Explanation:



57. Ans. a
Explanation:

$$SD = \left| \frac{a}{c} \right| \times \sigma_x = \left| \frac{a}{c} \right| \times \sigma$$

58. Ans. c

Explanation:

B is the son of C but C is not the mother of B means C is the father of B.

A is married to C means A is the mother of B.

F is the brother of B means F is the son of A and C.

D is daughter of A means D is daughter A and C. A is the mother and hence female. B is the son and hence male. C is the husband and hence male. D is the daughter and hence female. E is the brother and hence male. F is the son and hence male.

So, there are four males.

59. Ans. a
Explanation:

$$\int (x^3 + 3^x) dx \quad [e^{\log x} = x]$$

$$\frac{1}{4} x^4 + \frac{3^x}{\log 3} + c$$

60. Ans. b
Explanation:

$$x^{2a-3} y^{2a} = x^{6-a} y^{5a}$$

$$x^{3a-9} = y^{3a}$$

Taking logarithm

$$(3a-9)\log x = 3a \log y$$

$$3a \log x - 3a \log y = 9 \log x$$

$$a \log \frac{x}{y} = 3 \log x$$

61. Ans. b
Explanation:

1, 10, 37, 118

$$1 \times 3 + 7 = 10$$

$$10 \times 3 + 7 = 37$$

$$37 \times 3 + 7 = 118$$

$$118 \times 3 + 7 = 361$$

62. Ans. a

Explanation:

$$H.M = \frac{n}{\frac{1}{a} + \frac{1}{b} + \frac{1}{c} + \frac{1}{n}}$$

63. Ans. c

Explanation:

एक व्यक्ति 10 विभिन्न बाजारों से 5 रुपये के कीमत के बराबर संख्या में अण्डे खरीदता है यदि आपको प्रति रुपये सभी बाजारों के औसत अण्डों का मान HM द्वारा उपयुक्त औसत होगा।

64. Ans. a

Explanation:

$$Q_2 - Q_1 \Rightarrow Q_3 - Q_2$$

65. Ans. b

Explanation:

$$D_2 = \frac{2(n+1)}{10}th = \frac{n+1}{5}th \text{ So it is 20th Percentile}$$

66. Ans. a

Explanation:

$$10 \times 2.5 = 25 \text{ and marks of passed is } 281-25 \text{ Avg. is } = \frac{256}{40} \Rightarrow 6.4$$

67. Ans. a

Explanation:

$$\sigma = \sqrt{\frac{\sum (x - \bar{x})^2}{n}}$$

68. Ans. c

Explanation:

$$1, 2, 3, 4, \dots, n \quad \text{SD is } \sqrt{\frac{n^2 - 1}{12}}$$

69. Ans. c

Explanation:

यदि घटनाएँ परस्पर अपवर्जी हो तो दोनों घटनाएँ एक साथ घटित नहीं हो सकती हैं।

70. Ans. a

Explanation:

$$\begin{aligned} P(A^1) &= 1 - P(A) \\ &= 1 - 3/8 \\ &= 5/8 \end{aligned}$$

71. Ans. A

Explanation:

$$(2, 3) (3, 2) (1, 4) (4, 1) \quad \text{SO} \quad \frac{4}{36} = \frac{1}{9}$$

72. Ans. b

Explanation:

X	P	PX
5	1/3	5/3
6	1/4	6/4
7	5/12	35/12

$$\frac{\frac{5}{3} + \frac{6}{4} + \frac{35}{12}}{\frac{20}{12} + \frac{18}{12} + \frac{35}{12}} = 6.08$$

73. Ans. c

Explanation:

मानक प्रसामान्य वितरण में $\mu = 0$ $\sigma = 1$

74. Ans. c

Explanation:

प्रसामान्य वक्र है सममित

75. Ans. c

Explanation:

प्रसामान्य वितरण के सममित होने के कारण माध्यिका तथा बहुलक माध्य के बराबर मान ही रखते हैं

76. Ans. d

Explanation:

यदि X तथा Y दो स्वतंत्र प्रसामान्य चर हैं जिनके माध्य μ_1 तथा μ_2 हैं तथा प्रमाप विचलन σ_1 तथा σ_2

हैं तो X + Y प्रसामान्य चर के माध्य तथा SD होंगे माध्य = $\mu_1 + \mu_2$, S.D = $\sqrt{\sigma_1^2 + \sigma_2^2}$

77. Ans. d

Explanation:

$$\text{विचरण गुणांक} = \frac{\text{S.D.} \times 100}{X}$$

$$50 = \frac{\text{S.D.} \times 100}{10}$$

$$\text{S.D.} = \frac{50 \times 10}{100} = 5$$

$$\therefore \text{विचरण} = (\text{S.D.})^2 = 5^2 = 25$$

78. Ans. a

Explanation:

चरण –1 प्रारूप के अवलोकनों को विस्तार के आरोही क्रम में व्यवस्थित करने पर,

$x/5, x/3, x/2, x$

$$\begin{aligned}
 \text{चरण} - 2 \text{ माधिका} &= \left(\frac{n+1}{2}\right) \text{वाँ पद} \\
 &= \left(\frac{4+1}{2}\right) \text{वाँ पद} \\
 &= 5/2 \text{ वाँ पद} \\
 &= 2.5 \text{वाँ पद} \\
 \text{इसलिए माधिका} &= 2 \text{ वाँ पद} + 0.5 (3 \text{ वाँ पद} - 2 \text{ वाँ पद}) \\
 10 &= \frac{x}{3} + 0.5 \left(\frac{x}{2} - \frac{x}{3}\right) \\
 10 &= \frac{x}{3} + 0.5 \left(\frac{3x-2x}{6}\right) \\
 10 &= \frac{x}{3} + \frac{x}{12} \\
 10 &= \frac{4x+x}{12} \\
 10 &= \frac{5x}{12} \\
 x &= \frac{10 \times 12}{5} \\
 x &= 24 \\
 x \text{ का मान } 24 \text{ है।}
 \end{aligned}$$

79. Ans. d

Explanation: $\sum x = 50 \times 80 = 4000$

गलत अवलोकनों को सही अवलोकनों से प्रतिस्थापित करने के बाद $\sum x = 4000 - 28 - 69 + 82 + 96 = 4081$

सही $\bar{x} = \frac{4081}{50} = 81.62$

80. Ans. b

Explanation:

$$\begin{aligned}
 \text{G.M.} &= (2 \times 2^2 \times 2^3 \times 2^4 \times 2^5 \times 2^6)^{1/6} \\
 &= 2^{7/2}
 \end{aligned}$$

81. Ans. c

Explanation:

$$y = 19 - \frac{5}{2}x$$

$$b_{yx} = \frac{-5}{2}$$

82. Ans. b

Explanation:

$$r_R = 1 - \frac{6 \sum d^2}{n(n^2-1)}$$

$$0.143 = 1 - \frac{6 \times 48}{7(48)} = 0.143$$

83. Ans. b

Explanation:

$$\text{संशोधित आय} = \frac{200}{110} \times 325 = 590.90$$

इसीलिये कर्मचारी को हानि हुई है।

84. Ans. c
Explanation:
For attributes, rank correlation is the best method.
85. Ans. d
Explanation :
जो कि मूल के बदलाव से स्वतंत्र तथा पैमाने के बदलाव पर आश्रित होते हैं।
86. Ans. c
Explanation :

$$b_{yx} = 0.5, b_{xy} = B, r = 0.1$$

$$r = \sqrt{b_{xy} \times b_{yx}}$$

$$0.1 = \sqrt{0.5 \times B}$$

$$0.5B = 0.01$$



$$B = \frac{0.01}{0.5} = 0.02$$
87. Ans. c
Explanation :
 Average age of 10 students = 20 yrs
 The sum of age of 10 students = $20 \times 10 = 200$ yrs
 If two boys are increased
 The total no of students = $10+2=12$
 And average increased by 4 yrs
 Then new average = $20 + 4 = 24$
 The sum of age of 12 student = $24 \times 12 = 288$
 The sum of age of two boys = $288 - 200 = 88$
 Average age of two boys = $\frac{88}{2} = 44$
88. Ans. d
Explanation:

$$b_{xy} = \frac{2}{7}; b_{yx} = \frac{-7}{2}$$


Not Possible
89. Ans. b
Explanation:
Less than ogive & more than Ogive intersect at a point called MEDIAN or we can say second quartile.
90. Ans. a
Explanation:

$$\begin{array}{ll} H + 1 = I & \text{Now, } N + 1 = O \\ E + 1 = F & O + 1 = P \\ A + 1 = B & R + 1 = S \\ L + 1 = M & T + 1 = U \\ T + 1 = U & \\ H + 1 = I & \end{array}$$

91. Ans. a
Explanation:




92. Ans. b
Explanation:




93. Ans. a
Explanation:
The only daughter of woman's father is she herself. So, the person is woman's son, i.e. the woman is the person's mother. Hence, the answer is a.

94. Ans. d
Explanation:




95. Ans. d
Explanation:
 $CI = 8000 [(1 + 10\%)^2 (1 + 4\%) = 2067.2 - 1]$
 $SI = 8000 \times \frac{10}{100} \times \frac{12}{5} = 1920$
Difference $CI - SI = 147.2$


96. Ans. c
Explanation:




97. Ans. b
Explanation:



98. Ans. b
Explanation:




99. Ans. c
Explanation:



Answer- Sister

100. Ans. d
Explanation:



Answer-Daughter

__**__