(GCF-1,2,3,4,5+6,19,20,21,22,23, VDCF-1 & 2, VCF-1,2 & 4, SCF-1,2,6,7 & 8, Nov.-20 PD & GD, Foundation Nov.-19 Rep.)
DATE: 13.10.2020 MAXIMUM MARKS: 100 TIMING: 3 Hours

BUSINESS MATHEMATICS, REASONING & STATISTICS

- 1. $\log(1+2+3)$ is equal to :-
 - (a) $\log 1 + \log 2 + \log 3$
 - (b) $\log(1 \times 2 \times 3)$
 - (c) Both the above
 - (d) None
- 2. Using the digits 1, 2, 3, 4 and 5 only once, how many numbers greater than 41000 can be formed?
 - (a) 41
 - (b) 48
 - (c) 50
 - (d) 60
- 3. A Polygon has 27 diagonals. Number of sides of this polygon is:
 - (a) 12
 - (b) 15
 - (c) 16
 - (d) 9
- 4. $x^y = e^{x+y}$ then $\frac{dy}{dx} =$
 - $(a) \qquad \frac{2\log \mathbf{x}}{(\log \mathbf{x} 1)^2}$
 - (b) $\frac{-\log \mathbf{x} 2}{(\log \mathbf{x} 1)}$
 - (c) $\frac{\log \mathbf{x}}{(\log \mathbf{x} 1)}$
 - $(d) \qquad \frac{\log \mathbf{x} 2}{(\log \mathbf{x} 1)^2}$
- 5. A, B, C, D are four numbers so that A:B=2:3, B:C=4:5, C:D=5:8 then A:D is :-
 - (a) 2:3
 - (b) 3:2
 - (c) 1:3
 - (d) 3:1
- 6. In a city, three daily news paper A, B and C are published, 42% read A, 51% read B, 68% read C, 30% read A and B, 28% read B and C, 36% read A and C, 8% do not read any of the three newspapers. What is the percentage of person who read only one paper ?
 - (a) 38%
 - (b) 48%
 - (c) 51%
 - (d) None

- 7. What is the sum of $\sqrt{3} + \frac{1}{\sqrt{3}} + \frac{1}{3\sqrt{3}} + ...\infty$?
 - (a) $\frac{\sqrt{3}}{2}$
 - $\text{(b)} \qquad \frac{3\sqrt{3}}{2}$
 - $(c) \qquad \frac{2\sqrt{3}}{3}$
 - (d) $\sqrt{3}$
- 8. The difference between C.I and S.I on a certain sum of money invested for 3 years at 6% p.a is Rs. 110.16. The sum is
 - (a) Rs. 3,000
 - (b) Rs. 3,700
 - (c) Rs. 12,000
 - (d) Rs. 10,000

Seven friends T, U, V, W, X, Y and Z are sitting in a straight line facing north. W sits fifth to the right of T. W does not sit at any of extreme ends. Two people sit between Z and X. Y sits third to the left of U. Y sits exactly in the middle. Z is not an immediate neighbour of Y.

- 9. What is Z's position with respect to W?
 - (a) Second to the left
 - (b) Third to the right
 - (c) Fourth to the left
 - (d) Third to the left
- 10. If P is the husband of Q and R is the mother of S and Q. What is R to P?
 - (a) Mother
 - (b) Sister
 - (c) Aunt
 - (d) Mother-in-law
- 11. X and Y are the children of A. A is the father of X but Y is not his son. How is Y related to A?
 - (a) Sister
 - (b) Brother
 - (c) Son
 - (d) Daughter

Number Series-

- 12. 4, 9, 25, 49, ?, 169, 289, 361
 - (a) 120
 - (b) 121
 - (c) 122
 - (d) 164

- 13. 4, 12, 36, ?, 324
 - (a) 107
 - (b) 109
 - (c) 108
 - (d) 110
- 14. If '+' means '÷', '÷' means 'x', 'x' means '-' and '-' means '+' what will be the value of the following expression?
 - $15 \div 5 \times 9 + 3 6 = ?$
 - (a) 78
 - (b) 72
 - (c) 28
 - (d) 30
- 15. For a variable the mean is 10 and the coefficient of variation is 50. Then the variance is
 - (a) 5
 - (b) 20
 - (c) 400
 - (d) 25
- 16. If Fisher's index = 150 and Paasche's index = 144, then Laspeyre's index is
 - (a) 147
 - (b) 156.25
 - (c) 160.17
 - (d) 138
- 17. Age of applicants for life insurance and the premium of insurance-correlation are :
 - (a) positive
 - (b) negative
 - (c) zero
 - (d) None
- 18. If u = 2x+5, v=-3y+1, and the regression coefficient of y on x is -1.2, the regression coefficient of y on u is :
 - (a) 1.8
 - (b) -1.8
 - (c) 3.26
 - (d) 0.8
- 19. The odds are 9:5 against a person who is 50 years living till he is 70 and 8:6 against a person who is 60 living till he is 80. Find the probability that at least one of them will be alive after 20 years:
 - (a) $\frac{11}{14}$
 - (b) $\frac{22}{49}$
 - (c) $\frac{31}{49}$
 - (d) $\frac{35}{49}$

- 20. The area of a normal Curve is
 - 90% (a)
 - 95% (b)
 - (c) Unity
 - (d) Infinity
- Laspeyre's index is based on 21.
 - Base Year Quantities (a)
 - **Current Year Quantities** (b)
 - (c) Average of base and current year Quantity
 - (d) None of these.
- 22. For the data given calculate Fisher's index

$$\Sigma P_1 Q_0 = 3365$$
, $\Sigma P_0 Q_0 = 3530$,

$$\Sigma P_1 Q_1 = 3400, \Sigma P_0 Q_1 = 3600$$

- (a) 99
- 90 (b)
- (c) 90.25
- (d) 94.88
- 23. Chain index is equal to:
 - $link relative of current year \times \frac{Chain index of the current}{} year$ (a)

 $link \, relative of \, current \, year \times \frac{Chain index of \, the \, previous year}{}$ (b)

- $link \, relative of \, previous year \times \frac{Chain index of \, the \, current}{} year$ (c)
 - 100
- (d) None of these
- 24. is the entire upper part of the table which includes columns and sub-column and unit of measurement.
 - (a) Stub
 - Box-head (b)
 - (c) Body
 - Caption (d)
- 25. An annuity consisting of equal payments at the end of each month for 2 years is to be purchased for Rs. 2000. If the interest rate is 6% compounded monthly, how much is each payment?
 - 78.61 (a)
 - 76.80 (b)
 - (c) 68.70
 - (d) 68.50
- 26. The sum of all odd natural numbers between 36 and 120 is:
 - (a) 2000
 - 2040 (b)
 - (c) 3276
 - (d) 3726

- 27. An examination paper consists of 12 questions divided into two parts A and B. Part A contains 7 questions and part B contains 5 questions. A candidate is required to attempt 8 questions selecting at least 3 from each part. In how many maximum ways can the candidate select the questions?
 - (a) 350
 - (b) 210
 - (c) 520
 - (d) None
- 28. The C.I on Rs. 16000 for 1/2 years at 10% p.a payable half -yearly is
 - (a) Rs. 2,222
 - (b) Rs. 2,522
 - (c) Rs. 2,500
 - (d) None of these
- 29. During a certain period the cost of living Index number goes up from 110 to 200 and the salary of the worker is also raised form Rs. 325 to Rs. 500. Does the worker :
 - (a) gain
 - (b) looses
 - (c) fully compensated
 - (d) gain lay 10%
- 30. For Finding correlation between two attributes, we consider
 - (a) Pearson's correlation coefficient
 - (b) Scatter diagram
 - (c) Spearman's rank correlation coefficient
 - (d) Coefficient of document deviations.
- 31. Purchasing power of money is
 - (a) Inversely proportional to price index number
 - (b) Directly proportional to price index number
 - (c) Both (a) and (b)
 - (d) None of these
- 32. The gradient of the curve $y = 2x^3 3x^2 12x + 8$ at x = 0 is : -
 - (a) -12
 - (b) 12
 - (c) 0
 - (d) None
- 33. $\int (\mathbf{e}^{3\log x} + \mathbf{e}^{x\log 3}) dx$
 - (a) $\frac{x^4}{4} + \frac{3^x}{\log 3} + C$
 - (b) $\frac{x^4}{4} + 3^x \log 3 + C$
 - (c) $\frac{1}{4}e^{3\log x} + \frac{1}{3}e^{x\log 3} + C$
 - (d) None

- 34. Rs. 2,600 were given on interest in two parts. If simple interest of first part in 3 years with 5% interest rate is equal to simple interest of second part in 6 years with 4% interest rate. What is the second part?
 - (a) Rs. 1,600
 - (b) Rs. 1,300
 - (c) Rs. 900
 - (d) Rs. 1,000
- 35. Which number should be subtracted from 23, 30, 57 and 78 so that remaining numbers are in proportion?
 - (a) 4
 - (b) 5
 - (c) 6
 - (d) 7
- 36. If K = 11 and STEP = 15, how will you code 'SISTRUM'?
 - (a) 16
 - (b) 17
 - (c) 19
 - (d) 48
- 37. Identify the odd one out.
 - (a) Teacher
 - (b) Trainer
 - (c) Professor
 - (d) Student
- 38. In a certain code 'AMNESTY' is written as 'NMAEYTS'. How will 'BRIGADE' written in that code?
 - (a) IRBGEDA
 - (b) EDAGBRI
 - (c) ADEGBRI
 - (d) EDAGIRB
- 39. Prakash is moving toward East. He turn first left, then right, then left then right. Now in which direction he is moving?
 - (a) North
 - (b) South
 - (c) East
 - (d) West
- 40. Five persons are sitting in a row. D is right to P and left to T. B is left to V and right to T. who are at the ends of the row?
 - (a) D, T
 - (b) T, B
 - (c) P, V
 - (d) D, B
- 41. X is more richer than T. T is not as rich as D. S is not as rich as T or D. Who is the richest?
 - (a) X
 - (b) T
 - (c) D
 - (d) S

Directions (Q. No. 42-44): Each of the following questions contains two or three statements followed by two conclusions numbered I and II. You have to consider the two or three statements to be true, even if they are to be at variance at the commonly known facts. You have to decide which of the given conclusion definitely follows from the given statements.

42. Statements:

Some buses are trains.

Some trains are boats.

Conclusions:

- I. Some trains are buses
- II. Some boats are buses
- (a) only I follows
- (b) only II follows
- (c) either I or II follows
- (d) I and II follow

43. Statements:

All goats are flowers.

No flowers is branch.

Some branches are roots.

Conclusions:

- I. Some roots are goats
- II. No root is goat
- (a) only I follows
- (b) only II follows
- (c) either I or II follows
- (d) neither I or II follows

44. Statements:

All Tables are windows.

All Windows are rooms.

All rooms are buses.

Conclusions:

- I. Some Buses are Tables.
- II. Some rooms are tables.
- (a) only I follows
- (b) only II follows
- (c) either I or II follows
- (d) Both I and II follows

45. The colour of a flower is an example of

- (a) An attribute
- (b) A variable
- (c) A discrete variable
- (d) A Continuous variable

46. The following data relate to the marks of a group of students:

Marks	No. of Students
Below 10	15
Below 20	38
Below 30	65
Below 40	84
Below 50	100

How many students got marks more than 30?

- (a) 65
- (b) 50
- (c) 35
- (d) 43
- 47. Which of the following is correct?
 - (a) AM = Assumed Mean + Arithmetic Mean of deviations of terms.
 - (b) GM = Assumed Mean + Arithmetic Mean of deviations of terms.
 - (c) Both
 - (d) None
- 48. The mean of set of observation is \bar{x} . If each observation is divided by α , $\alpha \neq 0$ and then is increased by 10, then the mean of the new set is
 - (a) $-\frac{1}{x}/\alpha$
 - (b) $(\bar{x}+10)/\alpha$
 - (c) $\frac{\bar{x}}{\alpha} + 10$
 - (d) $\bar{\alpha \times +10}$
- 49. ______is the reciprocal of the AM of reciprocal of observations.
 - (a) HM
 - (b) GM
 - (c) Both
 - (d) None
- 50. Which of the following relationship is true in a symmetrical distribution?
 - (a) Median $-Q_1=Q_3$ Median
 - (b) Median $-Q_1>Q_3$ Median
 - (c) Median $-Q_1 < Q_3$ Median
 - (d) Median $-Q_1 \# Q_3$ Median
- 51. The average of 2 number is 20 and their standard deviation 5. Find the two numbers?
 - (a) 15, 25
 - (b) 30, 40
 - (c) 10, 15
 - (d) None of these
- 52. "Root-mean square deviation from Mean" is
 - (a) Standard deviation
 - (b) Quartile deviation
 - (c) Both
 - (d) None

- 53. If events are mutually exclusive, then-
 - (a) Their probabilities are less than one
 - (b) Their probabilities sum to one
 - (c) Both events cannot occur at the same time
 - (d) Both of them contain every possible outcome of an experiment.
- 54. If P(A)=3/8, P(B)=1/3 and $P(A \cap B)=1/4$ then $P(A \cup B)$ is equal to
 - (a) 5/24
 - (b) 3/24
 - (c) 1/24
 - (d) 11/24
- 55. An experiment succeeds twice as often as it fails. What is the probability that in next five trials there will be three success.
 - (a) 192/243
 - (b) 19/243
 - (c) 80/243
 - (d) 50/243
- 56. A man can kill a bird once in five shots. The probabilities that a bird is not killed is
 - (a) 4/5
 - (b) 1/5
 - (c) 3/5
 - (d) 2/5
- 57. Binomial distribution is symmetrical is
 - (a) p>q
 - (b) p<q
 - (c) p=q=0.50
 - (d) None
- 58. In standard normal distribution
 - (a) Mean =1 SD=0
 - (b) Mean =1 SD=1
 - (c) Mean=0 SD=1
 - (d) Mean=0 SD=0
- 59. Because of the symmetry of Normal distribution the median and the mode have the value as that of the mean
 - (a) Greater
 - (b) Smaller
 - (c) Same
 - (d) None
- 60. The symbol $\phi(a)$ indicates the area of the standard normal curve between
 - (a) 0 to a
 - (b) a to ∞
 - (c) $-\infty$ To a
 - (d) $-\infty$ to ∞

- 61. Depression in business is:
 - (a) Secular trend
 - (b) Cyclical
 - (c) Seasonal
 - (d) Irregular
- 62. The multiplicative time series model is:
 - (a) Y = T + S + C + I
 - (b) $Y = T \times S \times C \times I$
 - (c) Y = a + bX
 - (d) $Y = a + bX + cX^2$
- 63. If $B = \begin{bmatrix} 1 & 1 \\ 8 & 3 \end{bmatrix}$

Evaluate B^2-4B .

- (a) $\begin{bmatrix} 2 & -1 \\ 3 & -2 \end{bmatrix}$
- (b) $\begin{bmatrix} 2 & 0 \\ 0 & 2 \end{bmatrix}$
- (c) $\begin{bmatrix} 5 & -0 \\ 0 & -1 \end{bmatrix}$
- (d) $\begin{bmatrix} 5 & 0 \\ 0 & 5 \end{bmatrix}$
- 64. In an examination 40% students failed in Mathematics, 30% failed in English and 10% failed in both. The percentage of students who passed in both subject is -
 - (a) 20%
 - (b) 40%
 - (c) 60%
 - (d) 15%
- 65. Value of $\frac{2a^{1/2}xa^{2/3}x6a^{-7/3}}{9a^{-5/3}xa^{3/2}}$ if a=4
 - (a) $\frac{1}{3}$
 - (b) $\frac{1}{2}$
 - (c) $\frac{1}{4}$
 - (d) $\frac{1}{9}$

(d)

50%

66. If $^{n}p_{r} = 2880$ and $^{n}c_{r} = 120$ then the value of r is :--24 (a) (b) 6 4 (c) (d) 3 67. Choose the missing term out of the given alternatives. PG, NJ, LM, JP? (a) RG (b) GR HS (c) (d) SH 68. A and B are Sisters. C and D are Brothers. Daughter of A is Sister of C, then how B is related to D? Mother (a) (b) Grandmother Sister (c) (d) Aunty 69. A girl introduced a boy as the son of the daughter of the father of her paternal uncle. The boy is related to the girl as -Son (a) (b) Uncle (c) Nephew (d) Cousin 70. The data are known to be______if the data, as being already collected, are used by a different person or agency. **Primary** (a) Secondary (b) Specialized (c) (d) Subsidiary If log_{10}^2 = 0.3010 the value of log_5^{1024} is:-71. 4.306 (a) (b) 3.010 (c) 6.931 (d) 1.386 72. A man spends 75% of his income his income increase by 20% and his expenditure also increase by 10% then the percentage increase in his savings is:-10% (a) (b) 20% (c) 25%

- 73. If you want to accumulate Rs. 50,000 by making equal payments at the end of each quarter for the next five years, what will be the size of these investments, if money is worth 6% per annum converted quarterly?
 - (a) 3024.13
 - (b) 2103.13
 - (c) 2190.02
 - (d) 2162.29
- 74. If F:R \rightarrow R is a bijection function given by $f(x) = (x-1)^3 + 2$ then $f^{-1}(x)$ is
 - (a) $(x-2)^{1/3}+1$
 - (b) $(x-2)^{-1/3}+1$
 - (c) $(x+2)^{1/3}-1$
 - (d) None of these
- 75. If $2x^2 + 5xy + 3y^2 = 1$ then $\frac{dy}{dx}$ is
 - (a) $\frac{-4x-5y}{5x+6y}$
 - (b) $\frac{4x+5y}{5x-6y}$
 - $(c) \qquad \frac{4x 5y}{5x + 6y}$
 - (d) None
- 76. If α , β are roots of $x^2 + x + 2 = 0$, then the value of $\frac{\alpha}{\beta} + \frac{\beta}{\alpha}$:
 - (a) $\frac{-2}{3}$
 - (b) $\frac{-3}{4}$
 - (c) $\frac{-3}{2}$
 - (d) None of these
- 77. $\log(a + \sqrt{a^2 + 1}) + \log(\frac{1}{a + \sqrt{a^2 + 1}})$ is equal to
 - (a) 1
 - (b) 0
 - (c) 2
 - (d) $\frac{1}{2}$
- 78. Find the effective rate of interest of 9.9% p.a. calculated monthly:-
 - (a) 9.9%
 - (b) 11.36%
 - (c) 9.36%
 - (d) 10.36%

- 79. What is the net present value of piece of property which would be valued at Rs. 2 Lakh at the end of 2 years? (annual rate of increase = 5%)
 - (a) Rs. 1.81 Lakh
 - (b) Rs. 2.01 Lakh
 - (c) Rs. 2.00 Lakh
 - (d) Rs. 1.91 Lakh
- 80. If $2^a = 3^b = 12^c$

then ab is equal to :-

- (a) a+b+c
- (b) c (a+2b)
- (c) c(2a+b)
- (d) None
- 81. The missing number in the series: 7, 11, 13, 17, 19, 23, 25, 29, ?
 - (a) 30
 - (b) 31
 - (c) 32
 - (d) 33
- 82. Find the odd one out.
 - (a) C72X
 - (b) E110V
 - (c) G140T
 - (d) J180P
- 83. H is richer than J. M is richer than P. L is as rich as J, A is richer than H. What conclusion can be definitely drawn from the above statement?
 - (a) J is more poorer than P
 - (b) M is richer than A
 - (c) P is richer than L
 - (d) L is poorer than H
- 84. In tabulation 'Caption' is
 - (a) the upper part of the table
 - (b) the lower part of the table
 - (c) the main part of the table
 - (d) the upper part of the table that describes the column and sub-column
- 85. Bar diagrams are _____ dimensional diagrams.
 - (a) multi
 - (b) two
 - (c) one
 - (d) three
- 86. If the relation between two variables x and y is 5x+2y=6 and the mean deviation (M.D.) of x about its mean is 6 then the M.D. of y about its mean is
 - (a) 6
 - (b) 15
 - (c) 18
 - (d) none of these

- 87. The two lines of regression are x+2y-15=0 and 2x+3y-18=0. The regression equation of Y on X is :
 - (a) x+2y-15=0
 - (b) 2x+3y-18=0
 - (c) Both (a) and (b)
 - (d) None
- 88. The interval (μ -3 σ , μ +3 σ) covers _____ area of a normal distribution.
 - (a) 90%
 - (b) 95%
 - (c) 99%
 - (d) 99.73%
- 89. The two lines of regression are 2x 7y + 6 = 0 and 7x 2y + 1 = 0. What is the correlation coefficient between x and y?
 - (a) -2/7
 - (b) 2/7
 - (c) 4/49
 - (d) None of these
- 90. Sum of deviation from mean for any set of observation is -
 - (a) Negative
 - (b) Positive
 - (c) Zero
 - (d) None of these
- 91. For two positive numbers SD is always -
 - (a) Half of range
 - (b) Double of range
 - (c) Zero
 - (d) None of these
- 92. A bag contains coins of Rs. 1, 50 paisa and 25 paisa in the ratio 4:5:6. If the total amount in the bag is Rs. 120, then the number of coins of 25 paisa, is :-
 - (a) 60
 - (b) 75
 - (c) 90
 - (d) 96
- 93. If set $A = \{1,2,3\}$, then what is the power set of A?
 - (a) $\{\{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\}\}$
 - (b) $\{\phi, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}\}$
 - (c) $\{\phi, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\}\}$
 - (d) None
- 94. The number of arrangements of the letters of the word "SALOON" if the two O's do not come together is :-
 - (a) 360
 - (b) 720
 - (c) 240
 - (d) 120

- 95. If $\log_{10} 2 = x$ and $\log_{10} 4 = y$, then $\log_{10} 80$ is equal to:
 - (a) x-y+1
 - (b) x + y + 1
 - (c) x y 1
 - (d) 2x y + 1
- 96. Transpose of row matrix is
 - (a) zero matrix
 - (b) diagonal matrix
 - (c) Column Matrix
 - (d) Row matrix
- 97. The value of $\frac{1}{\log_3 60} + \frac{1}{\log_4 60} + \frac{1}{\log_5 60}$ is :-
 - (a) C
 - (b) 1
 - (c) 5
 - (d) 60
- 98. The sides of a triangle are in the ratio $\frac{1}{2}:\frac{1}{3}:\frac{1}{4}$. If the perimeter of the triangle is 52
 - cm, the length of the smallest side is :-
 - (a) 9 cm
 - (b) 18 cm
 - (c) 24 cm
 - (d) 12 cm
- 99. A is a square matrix of order 3 and |A|=7 then the value of |adjA| is:-
 - (a) 343
 - (b) 7
 - (c) 49
 - (d) 21
- 100. If $2^{x^2} = 3^{y^2} = 12^{z^2}$ then
 - (a) $\frac{1}{x^2} + \frac{1}{y^2} = \frac{1}{z^2}$
 - (b) $\frac{1}{x^2} + \frac{2}{y^2} = \frac{1}{z^2}$
 - (c) $\frac{2}{x^2} + \frac{1}{y^2} = \frac{1}{z^2}$
 - (d) None